



### TASSEL<sup>™</sup>3 STAGGERED PENDANT


THE TASSEL SERIES CONDENSES THE WARMTH AND DECADENCE OF A TRADITIONAL CHANDELIER TO A CONCISE, MODERN CONCLUSION. EMANATING FROM A BRASS DOME, THE LIGHT IS AMPLIFIED AS IT REFRACTS THROUGH MOLD-BLOWN GLASS CYLINDERS.

#### TASSEL<sup>™</sup>3 STAGGERED PENDANT

DIMENSIONS: Ø 10" HEIGHT TO ORDER INCLUDES UP TO 60" MINIMUM HEIGHT 37" APPROXIMATE WEIGHT: 20 LBS

LAMPING: 3 8W DIMMABLE LED MODULES 800 LUMENS EACH, 2700K COLOR TEMPERATURE LED ONBOARD DRIVER BULB LIFE: 50,000 HOURS

UL / CE APPROVED VOLTAGE: 120-240



APPARATUS






# TASSEL™ 1pendantTHE TASSEL SERIES CONDENSES THE WARMTH ANDDECADENCE OF A TRADITIONAL CHANDELIER TO ACONCISE, MODERN CONCLUSION. EMANATING FROMABRASS DOME, THE LIGHT IS AMPLIFIED AS IT REFRACTSTHROUGH MOLD-BLOWN GLASS CYLINDERS.



DIMENSIONS: Ø 3" HEIGHT TO ORDER MINIMUM HEIGHT 22" INCLUDES UP TO 60" APPROXIMATE WEIGHT: 5 LBS

LAMPING: 18W DIMMABLE LED MODULE 800 LUMENS, 2700K COLOR TEMPERATURE LED ONBOARD DRIVER BULB LIFE: 50,000 HOURS


UL / CE APPROVED VOLTAGE: 120-240








TASSELMPENDANTTHE TASSEL SERIES CONDENSES THE WARMTH ANDDECADENCE OF A TRADITIONAL CHANDELIER TO ACONCISE, MODERN CONCLUSION. EMANATING FROMABRASS DOME, THE LIGHT IS AMPLIFIED AS IT REFRACTSTHROUGH MOLD-BLOWN GLASS CYLINDERS.



k── 7.5" →



 $TASSEL^{TM}$  3

DIMENSIONS: Ø 8.5" HEIGHT TO ORDER MINIMUM HEIGHT 25" INCLUDES UP TO 60" APPROXIMATE WEIGHT: 15 LBS

LAMPING: 3 8W DIMMABLE LED MODULE 1750 LUMENS, 2700K COLOR TEMPERATURE LED ONBOARD DRIVER BULB LIFE: 50,000 HOURS

UL / CE APPROVED VOLTAGE: 120-240

## APPARATUS