

# CIRC

T-3815R / T-3815S

suspension

|                  |                 |
|------------------|-----------------|
| <b>Date</b>      | <b>Type</b>     |
| <b>Project</b>   |                 |
| <b>Location</b>  |                 |
| <b>Model #</b>   | <b>Quantity</b> |
| <b>Specifier</b> |                 |

## Description

Metallic ceiling light providing direct and indirect light. Shade is made of a satinated glass. Adjustable height. Possibility to create different compositions. False ceiling for recessed canopy is required Ø 45mm drill.






T-3815R   IP 20 960°

T-3815S   IP 20 960°



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.


## Ordering information

| Code  | Lamp   | Canopy       | Finish ring                                   |
|---|--|--------------|---|
|  T-3815R<br><br>Ø 45mm<br>drill on dry wall | LED 4x6,1W (included) <br>(2700K / Ang 120° / >90 CRI / 350mA) / 230V / Typ* 4x565 lumens<br>Dimmable Triac / Remote driver / Glass shade | 26 BLK Black | 26 BLK Black<br>61 S GLD Satin Gold<br>CUSTOM |
|  T-3815S   | LED 4x6,1W (included) <br>(2700K / Ang 120° / >90 CRI / 350mA) / 230V / Typ* 4x565 lumens<br>Dimmable Triac / Glass shade               | 26 BLK Black | 26 BLK Black<br>61 S GLD Satin Gold<br>CUSTOM |




## Product includes

| Code      | Description  |
|-----------|--|
| 113820263 | 1 round recessed canopy (only included in T-3815R) |
| 113815263 | 1 round canopy (only included in T-3815S)          |
| T-3815    | 1 Circ suspension                                  |
| 671000043 | 2 drivers / Dimmable Triac                         |

T-3815R with recessed canopy R12



T-3815S with canopy R30



## SPECIAL REQUIREMENTS

### Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

### Special instructions



**ESTILUZ, S.A.**  
 Carretera d'Ogassa, s/n  
 17860 Sant Joan de les Abadesses  
 T+34 972 720 125  
 F+34 972 720 796

estiluz@estiluz.com  
 www.estiluz.com

# CIRC

T-3816R / T-3816S

suspension

|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Description

Metallic ceiling light providing direct and indirect light. Shade is made of a satinated glass. Adjustable height. Possibility to create different compositions. False ceiling for recessed canopy is required Ø 45mm drill.












T-3816R    $\frac{IP}{20}$  960° 

T-3816S    $\frac{IP}{20}$  960° 



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.


## Ordering information

| Code  | Lamp   | Canopy       | Finish ring   |
|---|--|--------------|---|
|  T-3816R<br><br>Ø 45mm<br>drill on dry wall | LED 7x6,1W (included) <br>(2700K / Ang 120° / >90 CRI / 350mA) / 230V / Typ* 7x565 lumens<br>Dimmable Triac / Remote driver / Glass shade | 26 BLK Black |  26 BLK Black<br> 61 S GLD Satin Gold<br> CUSTOM       |
|  T-3816S   | LED 7x6,1W (included) <br>(2700K / Ang 120° / >90 CRI / 350mA) / 230V / Typ* 7x565 lumens<br>Dimmable Triac / Glass shade               | 26 BLK Black |  26 BLK Black<br> 61 S GLD Satin Gold<br> CUSTOM |




## Product includes

| Code      | Description  |
|-----------|--|
| 113820263 | 1 round recessed canopy (only included in T-3816R) |
| 113815263 | 1 round canopy (only included in T-3816S)          |
| T-3816    | 1 Circ suspension                                  |
| 671000034 | 1 driver / Dimmable Triac                          |
| 671000043 | 2 drivers / Dimmable Triac                         |

T-3816R with recessed canopy R12



T-3816S with canopy R30



## SPECIAL REQUIREMENTS

### Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

### Special instructions



ESTILUZ, S.A.  
 Carretera d'Ogassa, s/n  
 17860 Sant Joan de les Abadesses  
 T+34 972 720 125  
 F+34 972 720 796

estiluz@estiluz.com  
 www.estiluz.com

# CIRC

suspension

T-3815R / T-3816R

|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Many possible configurations with T-3815R and T-3816R


See CIRC T-3815A / T-3816A spec sheet for combinations with acoustic panels.

See CIRC T-3810 / T-3811 spec sheet for combinations with ceiling lights.

| Code                           | Composition includes   |
|--------------------------------|--|
| R12.1SP1MP<br>circ composition | 1 round recessed canopy 113820263<br>1 unit of T-3815<br>1 unit of T-3816<br>1 remote driver 671000034 / Dimmable Triac<br>4 remote drivers 671000043 / Dimmable Triac |



Ø 45mm  
drill on dry wall




### Finish canopy

26 BLK Black

### Finish body


- 26 BLK Black
- 61 S GLD Satin Gold
- CUSTOM



| Code                           | Composition includes   |
|--------------------------------|--|
| R12.2SP1MP<br>circ composition | 1 round recessed canopy 113820263<br>2 unit of T-3815<br>1 unit of T-3816<br>1 remote driver 671000034 / Dimmable Triac<br>6 remote drivers 671000043 / Dimmable Triac |



Ø 45mm  
drill on dry wall




### Finish canopy

26 BLK Black

### Finish body

- 26 BLK Black
- 61 S GLD Satin Gold
- CUSTOM



# CIRC

suspension

T-3815S / T-3816S


|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Many possible configurations with T-3815S and T-3816S


See CIRC T-3815A / T-3816A spec sheet for combinations with acoustic panels.

See CIRC T-3810 / T-3811 spec sheet for combinations with ceiling lights.


| Code                           | Composition includes  |
|--------------------------------|---|
| R30.1SP1MP<br>circ composition | 1 round canopy 113815263<br>1 unit of T-3815<br>1 unit of T-3816<br>1 driver 671000034 / Dimmable Triac<br>4 drivers 671000043 / Dimmable Triac |




| Finish canopy |            |
|---------------|------------|
| 26 BLK        | Black      |
| Finish body   |            |
| 26 BLK        | Black      |
| 61 S GLD      | Satin Gold |
| CUSTOM        |            |



| Code                           | Composition includes  |
|--------------------------------|---|
| R30.2SP1MP<br>circ composition | 1 round canopy 113815263<br>2 unit of T-3815<br>1 unit of T-3816<br>1 driver 671000034 / Dimmable Triac<br>6 drivers 671000043 / Dimmable Triac |



| Finish canopy |            |
|---------------|------------|
| 26 BLK        | Black      |
| Finish body   |            |
| 26 BLK        | Black      |
| 61 S GLD      | Satin Gold |
| CUSTOM        |            |



# CIRC


T-3815 / t-3811  
suspension / ceiling light


|                  |                 |
|------------------|-----------------|
| <b>Date</b>      | <b>Type</b>     |
| <b>Project</b>   |                 |
| <b>Location</b>  |                 |
| <b>Model #</b>   | <b>Quantity</b> |
| <b>Specifier</b> |                 |

## Many possible configurations with T-3815 and t-3811


See CIRC T-3815A / T-3816A spec sheet for combinations with acoustic panels.

See CIRC t-3810 / t-3811 spec sheet for more information about Circ t-3811 ceiling light.


| Code  | Composition includes  |
|---|---|
| <p>■ R12.1SP1MF</p> <p>circ composition</p>  <p>Ø 45mm<br/>drill on dry wall</p> | <p>1 round recessed canopy 113820263</p> <p>1 unit of t-3811</p> <p>1 unit of T-3815</p> <p>1 remote driver 671000034 / Dimmable Triac</p> <p>4 remote drivers 671000043 / Dimmable Triac</p> |




| Finish canopy |            |
|---------------|------------|
| 26 BLK        | Black      |
| Finish body   |            |
| ■ 26 BLK      | Black      |
| ■ 61 S GLD    | Satin Gold |
| ■ CUSTOM      |            |



| Code  | Composition includes   |
|---|--|
| <p>■ R30.1SP1MF</p> <p>circ composition</p> | <p>1 round canopy 113815263</p> <p>1 unit of t-3811</p> <p>1 unit of T-3815</p> <p>1 driver 671000034 / Dimmable Triac</p> <p>4 drivers 671000043 / Dimmable Triac</p> |



| Finish canopy |            |
|---------------|------------|
| 26 BLK        | Black      |
| Finish body   |            |
| ■ 26 BLK      | Black      |
| ■ 61 S GLD    | Satin Gold |
| ■ CUSTOM      |            |



# CIRC

T-3816 / t-3810  
suspension / ceiling light

|                  |                 |
|------------------|-----------------|
| <b>Date</b>      | <b>Type</b>     |
| <b>Project</b>   |                 |
| <b>Location</b>  |                 |
| <b>Model #</b>   | <b>Quantity</b> |
| <b>Specifier</b> |                 |

## Many possible configurations with T-3816 and / t-3810

See CIRC T-3815A / T-3816A spec sheet for combinations with acoustic panels.

See CIRC t-3810 / t-3811 spec sheet for more information about Circ t-3810 ceiling light.

| Code                           | Composition includes   |
|--------------------------------|--|
| R12.1SF1MP<br>circ composition | 1 round recessed canopy 113820263<br>1 unit of t-3810<br>1 unit of T-3816<br>1 remote driver 671000034 / Dimmable Triac<br>4 remote drivers 671000043 / Dimmable Triac |





Ø 45mm  
drill on dry wall

### Finish canopy

26 BLK Black

### Finish body

- 26 BLK Black
- 61 S GLD Satin Gold
- CUSTOM





| Code                           | Composition includes  |
|--------------------------------|---|
| R30.1SF1MP<br>circ composition | 1 round canopy 113815263<br>1 unit of t-3810<br>1 unit of T-3816<br>1 driver 671000034 / Dimmable Triac<br>4 drivers 671000043 / Dimmable Triac |

### Finish canopy

26 BLK Black

### Finish body

- 26 BLK Black
- 61 S GLD Satin Gold
- CUSTOM



# CIRC

suspension

## T-3816 / VEGETATION KIT

|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

### Description

Metallic suspension lamp with circular body and vegetation kit with artificial greenery. Shade made of a satinated glass providing direct and indirect light. Adjustable height.



### Ordering information

| Code    | Lamp  |
|---------|---|
| T-3816S | LED 7x6,1W (2700K / Ang 120° / >90 CRI / 350mA) <span style="color: green;">A+</span><br>230V (included) / Typ* 7x565 lumens / Dimmable Triac |

| Code    | Lamp  |
|---------|---|
| T-3816R | LED 7x6,1W (2700K / Ang 120° / >90 CRI / 350mA) <span style="color: green;">A+</span><br>230V (included) / Typ* 7x565 lumens / Dimmable Triac |
|         | <br>Ø 45mm<br>drill on dry wall   |


| Canopy       |
|--------------|
| 26 BLK Black |

| Finish body         |
|---------------------|
| 26 BLK Black        |
| 61 S GLD Satin Gold |


| Canopy       |
|--------------|
| 26 BLK Black |

| Finish body         |
|---------------------|
| 26 BLK Black        |
| 61 S GLD Satin Gold |


T-3816S with canopy R30



T-3816R with recessed canopy



Vegetation Kit




## SPECIAL REQUIREMENTS

### Custom versions

We offer custom RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

### Special instructions



**ESTILUZ, S.A.**  
 Carretera d'Ogassa, s/n  
 17860 Sant Joan de les Abadesses  
 T+34 972 720 125  
 F+34 972 720 796

estiluz@estiluz.com  
 www.estiluz.com

# CIRC


suspension

## T-3816 / VEGETATION KIT


|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |


### Configurations with T-3816S, T-3816R and vegetation kit


| Code                             | Composition includes   | Finish canopy   |
|----------------------------------|--|---|
| ■ R30.1M1PVK<br>circ composition | 1 round canopy 113815263<br>1 unit of T-3816S<br>1 driver 671000034 / Dimmable Triac<br>2 drivers 671000043 / Dimmable Triac<br>1 vegetation kit 123815262 | 26 BLK Black<br><br>26 BLK Black<br>61 S GLD Satin Gold |




Ø 300 mm  
 Ø 11.3/4"  
 Ø 640 mm  
 Ø 25.1/4"  
 Ø 800 mm  
 Ø 31.1/2"  
 1319 mm  
 51.7/8"



| Code   | Composition includes  | Finish canopy   |
|--|---|---|
| ■ R12.1M1PVK<br>circ composition<br><br>Ø 45mm<br>drill on dry wall | 1 round recessed canopy 113820263<br>1 unit of T-3816R<br>1 remote driver 671000034 / Dimmable Triac<br>2 remote drivers 671000043 / Dimmable Triac<br>1 vegetation kit 123815262 | 26 BLK Black<br><br>26 BLK Black<br>61 S GLD Satin Gold |



Ø 120 mm  
 Ø 4.3/4"  
 Ø 640 mm  
 Ø 25.1/4"  
 Ø 800 mm  
 Ø 31.1/2"  
 1319 mm  
 51.7/8"



**ESTILUZ, S.A.**  
 Carretera d'Ogassa, s/n  
 17860 Sant Joan de les Abadesses  
 T +34 972 720 125  
 F +34 972 720 796

[estiluz@estiluz.com](mailto:estiluz@estiluz.com)  
[www.estiluz.com](http://www.estiluz.com)



# CIRC

T-3815A

suspension

|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Description


Metallic suspension lamp providing direct and indirect light with circular body and P.E.T. acoustic panel.

Shade is made of a satinated glass. Adjustable height.

Possibility to create different compositions.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.




## Ordering information

| Code   | Lamp   | Canopy       | Finish Acoustic panel  |
|--|--|--------------|--|
| T-3815A<br><small>(with P.E.T. acoustic panel)</small> | LED 4x6,1W (included) <span style="color: green;">A+</span><br>(2700K / Ang 120° / >90 CRI / 350mA) / 230V / Typ* 4x565 lumens<br>Dimmable Triac / Glass shade | 26 BLK Black | <ul style="list-style-type: none"> <li><span style="display: inline-block; width: 15px; height: 15px; background-color: #808080; margin-right: 5px;"></span> 26 BLK Black</li> <li><span style="display: inline-block; width: 15px; height: 15px; background-color: #cccccc; margin-right: 5px;"></span> CUSTOM</li> </ul> |

## Product includes

| Code      | Description                |
|-----------|----------------------------|
| 113815263 | 1 round canopy             |
| T-3815A   | 1 circ suspension          |
| 113815264 | 1 P.E.T. acoustic panel    |
| 671000043 | 2 drivers / Dimmable Triac |



## SPECIAL REQUIREMENTS

### Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

### Special instructions

---



---



---



**ESTILUZ, S.A.**  
Carretera d'Ogassa, s/n  
17860 Sant Joan de les Abadesses  
T+34 972 720 125  
F+34 972 720 796

estiluz@estiluz.com  
www.estiluz.com

# CIRC

T-3816A

suspension

| Date      | Type     |
|-----------|----------|
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Description

Metallic suspension lamp providing direct and indirect light with circular body and P.E.T. acoustic panel. Shade is made of a satinated glass. Adjustable height. Possibility to create different compositions.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.



## Ordering information

| Code   | Lamp   |
|--|--|
| T-3816A<br><small>(with P.E.T. acoustic panel)</small> | LED 7x6,1W (included) <span style="color: green;">A+</span><br>(2700K / Ang 120° / >90 CRI / 350mA) / 230V / Typ* 7x565 lumens<br>Dimmable Triac / Glass shade |

| Canopy       | Finish Acoustic panel  |
|--------------|------------------------|
| 26 BLK Black | 26 BLK Black<br>CUSTOM |

## Product includes

| Code      | Description                |
|-----------|----------------------------|
| 113815263 | 1 round canopy             |
| T-3816A   | 1 circ suspension          |
| 113816264 | 1 P.E.T. acoustic panel    |
| 671000034 | 1 driver / Dimmable Triac  |
| 671000043 | 2 drivers / Dimmable Triac |



## SPECIAL REQUIREMENTS

### Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

### Special instructions

---



---



---



**ESTILUZ, S.A.**  
Carretera d'Ogassa, s/n  
17860 Sant Joan de les Abadesses  
T+34 972 720 125  
F+34 972 720 796

estiluz@estiluz.com  
www.estiluz.com

# CIRC

suspension


T-3815A / T-3816


|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Possible configuration with T-3815A and T-3816

See CIRC T-3815 / T-3816 spec sheet for more information about T-3816.

See CIRC T-3810A / T-3811A spec sheet for combinations with ceiling lights and acoustic panels.

| Code   | Composition includes   |
|--|--|
| <p>R12.1SPA1MP</p> <p>circ composition</p>  <p>Ø 45mm<br/>drill on dry wall</p> | <p>1 round recessed canopy 113820263</p> <p>1 unit of T-3815A</p> <p>1 unit of T-3816</p> <p>1 P.E.T acoustic panel 113815264</p> <p>1 remote driver 671000034 / Dimmable Triac</p> <p>4 remote drivers 671000043 / Dimmable Triac</p> |




### Finish canopy

26 BLK Black


### Finish panel

26 BLK Black

CUSTOM



| Code                                       | Composition includes  |
|--|---|
| <p>R30.1SPA1MP</p> <p>circ composition</p> | <p>1 round canopy 113815263</p> <p>1 unit of T-3815A</p> <p>1 unit of T-3816</p> <p>1 P.E.T acoustic panel 113815264</p> <p>1 driver 671000034 / Dimmable Triac</p> <p>4 drivers 671000043 / Dimmable Triac</p> |




### Finish canopy

26 BLK Black

### Finish panel

26 BLK Black

CUSTOM



# CIRC


T-3815A / t-3811


## suspension / ceiling light

|                  |                 |
|------------------|-----------------|
| <b>Date</b>      | <b>Type</b>     |
| <b>Project</b>   |                 |
| <b>Location</b>  |                 |
| <b>Model #</b>   | <b>Quantity</b> |
| <b>Specifier</b> |                 |


### Many possible configurations with T-3815A and t-3811

See CIRC t-3810 / t-3811 spec sheet for more information about Circ t-3811 ceiling light.


| Code  | Composition includes  |
|---|---|
| ■ R12.1SPA1MF<br>circ composition<br><br>Ø 45mm<br>drill on dry wall | 1 round recessed canopy 113820263<br>1 unit of t-3811<br>1 unit of T-3815A<br>1 P.E.T acoustic panel 113815264<br>1 remote driver 671000034 / Dimmable Triac<br>4 remote drivers 671000043 / Dimmable Triac |




| Finish canopy  |
|----------------|
| 26 BLK Black   |
| Finish panel   |
| ■ 26 BLK Black |
| ■ CUSTOM       |



| Code                              | Composition includes   |
|-----------------------------------|--|
| ■ R30.1SPA1MF<br>circ composition | 1 round canopy 113815263<br>1 unit of t-3811<br>1 unit of T-3815A<br>1 P.E.T acoustic panel 113815264<br>1 driver 671000034 / Dimmable Triac<br>4 drivers 671000043 / Dimmable Triac |



| Finish canopy  |
|----------------|
| 26 BLK Black   |
| Finish panel   |
| ■ 26 BLK Black |
| ■ CUSTOM       |



# CIRC


T-3816 / t-3810A  
suspension / ceiling light


|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Many possible configurations with T-3816 and / t-3810A


See CIRC T-3815 / T-3816 spec sheet for more information about T-3816.

See CIRC t-3810A / t-3811A spec sheet for more information about Circ t-3810A ceiling light.


| Code   | Composition includes  |
|--|---|
| <b>R12.15FA1MP</b><br>circ composition<br><br>Ø 45mm<br>drill on dry wall | 1 round recessed canopy 113820263<br>1 unit of t-3810A<br>1 unit of T-3816<br>1 P.E.T acoustic panel 113815264<br>1 remote driver 671000034 / Dimmable Triac<br>4 remote drivers 671000043 / Dimmable Triac |



| Finish canopy |       |
|---------------|-------|
| 26 BLK        | Black |
| Finish panel  |       |
| 26 BLK        | Black |
| CUSTOM        |       |



| Code                                   | Composition includes   |
|--|--|
| <b>R30.15FA1MP</b><br>circ composition | 1 round canopy 113815263<br>1 unit of t-3810A<br>1 unit of T-3816<br>1 P.E.T acoustic panel 113815264<br>1 driver 671000034 / Dimmable Triac<br>4 drivers 671000043 / Dimmable Triac |



| Finish canopy |       |
|---------------|-------|
| 26 BLK        | Black |
| Finish panel  |       |
| 26 BLK        | Black |
| CUSTOM        |       |

