


BUTTON T-3305S

surface suspension lamp

| | |
|-----------|----------|
| Date | Type |
| Project | |
| Location | |
| Model # | Quantity |
| Specifier | |

Description

Linear pendant with metal heads connected to a track enclosed in a decorative shelf and field cuttable stem. Each head can be independently positioned and dimmed.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information


| Code | Lamp |
|---------|--|
| T-3305S | LED 3x9W (led included) (3000K / Ang 45° / >90 CRI / 24V) / 100V - 240V Typ* 3x1096 lumens Sensor dimmer on each head |

| Finish | |
|--------|-------|
| 26 BLK | Black |
| 71 WH | White |

| Finish | |
|----------|----------------|
| 26 BLK | Black |
| 71 WH | White |
| 93 GR LM | Grey-limestone |
| CUSTOM | |

Product includes

| Code | Description |
|-----------|---------------------|
| 113924XX0 | 1 surface canopy |
| T-3305 | 1 button body |
| 113305XX0 | 3 button heads |
| 671000028 | 1 driver / dimmable |



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and versions available for projects. Consult our offices.

Special instructions



ESTILUZ, S.A.
Carretera d'Ogassa, s/n
17860 Sant Joan de les Abadesses
T+34 972 720 125
F+34 972 720 796

estiluz@estiluz.com
www.estiluz.com


BUTTON T-3305R

recessed suspension lamp

| | |
|-----------|----------|
| Date | Type |
| Project | |
| Location | |
| Model # | Quantity |
| Specifier | |

Description

Linear pendant with metal heads connected to a track enclosed in a decorative shelf and field cuttable stem. Each head can be independently positioned and dimmed. Recessed canopy and remote driver. False ceiling for recessed canopy is required Ø 55mm drill.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information


| Code | Lamp |
|---------|---|
| T-3305R | LED 3x9W (led included) E (3000K / Ang 45° / >90 CRI / 24V) / 100V - 240V Typ* 3x1096 lumens Sensor dimmer on each head |

Ø 55mm drill on dropped ceiling

| Finish | | Finish | |
|--------|-------|----------|----------------|
| 26 BLK | Black | 26 BLK | Black |
| 71 WH | White | 71 WH | White |
| | | 93 GR LM | Grey-limestone |
| | | CUSTOM | |

Product includes

| Code | Description |
|-----------|---------------------------|
| 113534XX2 | 1 recessed canopy |
| T-3305 | 1 button body |
| 113305XX0 | 3 button heads |
| 671000028 | 1 remote driver /dimmable |



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and versions available for projects. Consult our offices.

Special instructions


BUTTON T-3306S

surface suspension lamp

| | |
|-----------|----------|
| Date | Type |
| Project | |
| Location | |
| Model # | Quantity |
| Specifier | |

Description

Linear pendant with metal heads connected to a track enclosed in a decorative shelf and field cuttable stem. Each head can be independently positioned and dimmed.




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

| Code | Lamp | Finish | Finish |
|-----------|--|---------------------------------|--|
| ■ T-3306S | LED 4x9W (led included) (3000K / Ang 45° / >90 CRI / 24V) / 100V - 240V Typ* 4x1096 lumens Sensor dimmer on each head | ■ 26 BLK Black ■ 71 WH White | ■ 26 BLK Black ■ 71 WH White ■ 93 GR LM Grey-limestone ■ CUSTOM |

Product includes

| Code | Description |
|-----------|--|
| 113924XX0 | 1 surface canopy |
| T-3306 | 1 button body |
| 113305XX0 | 4 button heads (1 additional head can be added) |
| 671000028 | 1 driver /dimmable |



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and versions available for projects. Consult our offices.

Special instructions

BUTTON T-3306R

recessed suspension lamp


| | |
|-----------|----------|
| Date | Type |
| Project | |
| Location | |
| Model # | Quantity |
| Specifier | |

Description

Linear pendant with metal heads connected to a track enclosed in a decorative shelf and field cuttable stem. Each head can be independently positioned and dimmed.

Recessed canopy and remote driver.

False ceiling for recessed canopy is required
 Ø 55mm drill.




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

| Code | Lamp | Finish | Finish |
|--|--|--|---|
|  T-3306R  Ø 55mm drill on dropped ceiling | LED 4x9W (led included)  (3000K / Ang 45° / >90 CRI / 24V) / 100V - 240V Typ* 4x1096 lumens Sensor dimmer on each head |  26 BLK Black  71 WH White |  26 BLK Black  71 WH White  93 GR LM Grey-limestone  CUSTOM |

Product includes

| Code | Description |
|-----------|--|
| 113534XX2 | 1 recessed canopy |
| T-3306 | 1 button body |
| 113305XX0 | 4 button heads (1 additional head can be added) |
| 671000028 | 1 remote driver /dimmable |



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and versions available for projects. Consult our offices.

Special instructions


BUTTON T-3307S

surface suspension lamp

| | |
|-----------|----------|
| Date | Type |
| Project | |
| Location | |
| Model # | Quantity |
| Specifier | |

Description

Linear pendant with metal heads connected to a track enclosed in a decorative shelf and field cuttable stem. Each head can be independently positioned and dimmed.




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

| Code | Lamp | Finish | Finish |
|---------|--|-----------------------------|--|
| T-3307S | LED 5x9W (led included) (3000K / Ang 45° / >90 CRI / 24V) / 100V - 240V Typ* 5x1096 lumens Sensor dimmer on each head | 26 BLK Black 71 WH White | 26 BLK Black 71 WH White 93 GR LM Grey-limestone CUSTOM |

Product includes

| Code | Description |
|-----------|---|
| 113924XX0 | 1 surface canopy |
| T-3307 | 1 button body |
| 113305XX0 | 5 button heads (up to 3 additional head can be added, requires alternative driver, consult our offices) |
| 671000028 | 1 driver /dimmable |
| 113306XX0 | 1 intermediate section |



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and versions available for projects. Consult our offices.

Special instructions

BUTTON T-3307R

recessed suspension lamp

| | |
|-----------|----------|
| Date | Type |
| Project | |
| Location | |
| Model # | Quantity |
| Specifier | |

Description


Linear pendant with metal heads connected to a track enclosed in a decorative shelf and field cuttable stem. Each head can be independently positioned and dimmed.

Recessed canopy and remote driver.

False ceiling for recessed canopy is required
Ø 55mm drill.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.




Ordering information

| Code | Lamp | Finish | Finish |
|---------|--|-----------------------------|--|
| T-3307R | LED 5x9W (led included) (3000K / Ang 45° / >90 CRI / 24V) / 100V - 240V Typ* 5x1096 lumens Sensor dimmer on each head | 26 BLK Black 71 WH White | 26 BLK Black 71 WH White 93 GR LM Grey-limestone CUSTOM |

Ø 55mm drill on dropped ceiling

Product includes

| Code | Description |
|-----------|--|
| 113534XX2 | 1 recessed canopy |
| T-3307 | 1 button body |
| 113305XX0 | 5 button heads (up to 3 additional head can be added, requires alternative driver, consult our offices) |
| 671000028 | 1 remote driver /dimmable |
| 113306XX0 | 1 intermediate section |



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and versions available for projects. Consult our offices.

Special instructions



ESTILUZ, S.A.
Carretera d'Ogassa, s/n
17860 Sant Joan de les Abadesses
T+34 972 720 125
F+34 972 720 796

estiluz@estiluz.com
www.estiluz.com